

snam rete gas

Transportation capacities at the ENTRY Points

Update to 29/07/2010 of available capacities for booking after the beginning of the Thermal Year

Thermal Year 2009/2010

(Values in Sm³/day - 15° C; 1,01325 bar)

ENTRY Points interconnected with LNG terminals

ENTRY Point	Minimum contractual pressure [barg]	Month	Transportation capacity (a)	Booked capacity (b)	Reserved capacity (*) (c)	Available capacity (a-b-c)	Connected to Snam Rete Gas network	Connected to Edison Stoccaggio network	
50081701	Cavarzere	70	26.400.000	24.641.096	1.758.904	-		X	
									October
									November
									December
									January
									February
									March
									April
									May
									June
July									
August									
September									
35717701	Panigaglia	70	13.000.000	7.200.000		5.800.000	X		
									October
									November
									December
									January
									February
									March
									April
									May
									June
July									
August									
September									

Notes:

(*) Reserved capacity to the re-gasifies operator in compliance with art. 6.3 of delibera 168/06 passed by the Autorità per l'energia elettrica e il gas

ENTRY Points interconnected with storages

ENTRY Points	Minimum contractual pressure [barg]	Transportation capacity (a)	Booked capacity (b)	Available capacity (a-b)	Connected to Snam Rete Gas network	Connected to S.G.I. network
STENI_WTH	(1)	221.000.000	184.464.633 (**)	36.535.367	X	
STEDG_WTH	(2)	4.848.499	4.011.211	837.288		X

Notes:

(**) The figure includes the booked capacity and the capacity used by Snam Rete Gas for transportation service.

(1) - Delivery point from storage of Cupello (San Salvo): Minimum contractual pressure 75 barg;

delivery points from storages of Cortemaggiore, Minerbio, Ripalta, Sabbioncello and Settala: Minimum contractual pressure 70 barg;

delivery point from storage of Sergnano: Minimum contractual pressure 65 barg;

delivery point from storage of Brughiero: Minimum contractual pressure 24 barg

(2) - Delivery points from storages of Cellino and Collalto on the S.G.I. network : Minimum contractual pressure 70 barg

snam rete gas

Transportation capacities at the ENTRY Points

Update to 29/07/2010 of available capacities for booking after the beginning of the Thermal Year

Thermal Year 2009/2010

(Values in Sm³/day - 15° C; 1,01325 bar)

ENTRY Points interconnected with national productions

ENTRY Point	Physical Delivery Point	Minimum contractual pressure [barg]	Transportation capacity (a)	Booked capacity (b)	Available capacity (a-b)	Connected to Snam Rete Gas network	Connected to S.G.I. network
35730101	Bronte	70	370.000	370.000	-	X	
35729901	Calderasi/Monteverdese	70	16.100	10.000	6.100	X	
35724901	Candela	64	708.000	450.000	258.000	X	
35725001	Carassai	70	65.000	-	65.000		X
35720301	Casalborsetti	70	4.700.000	4.700.000	-	X	
35720401	Casteggio	24	36.000	25.000	11.000	X	
35723401	Caviaga	24	32.400	25.000	7.400	X	
35725101	Cellino	70	162.500	80.300	82.200		X
50037301	Chiaromonte Gulfi	70	200.000	-	200.000	X	
50081801	Collalto	70	17.000	11.500	5.500		X
50081901	Comiso	12	32.000	28.000	4.000		X
35724501	Correggio	24	26.000	-	26.000	X	
35725201	Crotone	70	2.600.000	2.350.000	250.000	X	
35725401	Falconara	70	6.180.000	5.500.000	680.000	X	
35725601	Fano	70	4.490.000	4.490.000	-	X	
50013201	Fonte Filippo	60	10.000	-	10.000	X	
35724301	Fornovo	64	174.000	126.000	48.000	X	
35730201	Gagliano	75	904.000	650.000	254.000	X	
35726000	Grottammare		225.000	80.000	145.000		
Daily flow rate for each physical delivery point:		35726010 Grottammare	70	100.000	-		X
		35726001 Grottammare	54	125.000	-	X	
35726101	Hera Lacinia	70	713.000	600.000	113.000	X	
35167700	Larino		139.300	60.000	79.300		
Daily flow rate for each physical delivery point:		35167701 Larino	60	100.000	-		X
		35727601 Sinarca	64	39.300	-	X	
35721101	Leno	58	6.000	-	6.000	X	
35726501	Masseria Spavento	64	22.000	-	22.000	X	
35730301	Mazara/Lippone	20	24.000	20.000	4.000	X	
50071201	Medicina	24	110.000	110.000	-	X	
35728601	Metaponto	60	84.000	42.000	42.000	X	
35852201	Monte Alpi	75	3.050.000	2.900.000	150.000	X	
35728501	Montecosaro	54	10.000	-	10.000	X	
35724101	Montenevoso	24	6.000	-	6.000	X	
35801601	Muzza	24	144.000	100.000	44.000	X	
50001301	Noto	75	14.900	-	14.900	X	
50045101	Ortona	70	250.000	-	250.000	X	
35721401	Ovanengo	58	10.000	10.000	-	X	
36009501	Piadena Est	24	6.000	-	6.000	X	
35721601	Piadena Ovest	24	23.700	19.000	4.700	X	
35726700	Pineto		3.160.000	1.600.000	1.560.000		
Daily flow rate for each physical delivery point:		50003701 Pineto	70	1.840.000	-		X
		35726701 Pineto	54	1.320.000	-	X	
35728400	Pisticci A.P./B.P.		810.000	445.000	365.000		
Daily flow rate for each physical delivery point:		35728401 Pisticci alta pressione	60	462.000	-	X	
		35726801 Pisticci bassa pressione	24	348.000	-	X	
35728901	Poggiofiorito	60	48.000	40.000	8.000	X	
35721701	Pontetidone	12	12.000	7.000	5.000	X	
50013101	Quarto	12	26.400	23.000	3.400	X	
35727001	Rapagnano	54	10.000	-	10.000	X	
35721901	Ravenna Mare	70	4.200.000	4.200.000	-	X	
35727100	Reggente		94.500	60.000	34.500		
Daily flow rate for each physical delivery point:		35727110 Reggente	70	79.500	-		X
		35727101 Reggente	64	15.000	-	X	
50070201	Rivolta d'Adda (#)	24	70.000	70.000	-	X	
35722101	Romanengo	12	3.000	-	3.000	X	
35727201	Roseto/T.Vulgano	64	564.000	380.000	184.000	X	
35722201	Rubicone	70	2.340.000	2.270.000	70.000	X	
35727301	San Benedetto T.	54	56.400	44.500	11.900	X	
35728100	S. Giorgio M.		291.000	140.000	151.000		
Daily flow rate for each physical delivery point:		35728110 S. Giorgio M.	70	230.000	-		X
		35728101 S. Giorgio M.	54	61.000	-	X	
35723601	San Potito	55	40.000	-	40.000	X	
35728001	S. Stefano M.	65	15.900	8.000	7.900	X	
35722401	Santerno	24	14.400	12.000	2.400	X	
35729801	Settefinestre/Passatempo	70	36.000	25.000	11.000	X	
35729701	Sinni (Pollicoro)	50	72.000	50.000	22.000	X	
35722801	Soresina	24	32.800	30.000	2.800	X	
35722901	Spilamberto B.P.	12	360.000	250.000	110.000	X	
35727701	Torrente Tona	64	40.000	-	40.000	X	
35723701	Treccate	55	240.000	200.000	40.000	X	
35814801	Vittorio V. (S. Antonio) (§)	58	10.000	10.000	-	X	

Notes:

(§) Transportation service on interruptible basis, conditioned upon the presence of a fisic outflow from the Snam Rete Gas network to the redelivery point of Vittorio Veneto (code 34569001)

(#) The transportation capacity is available from 12/10/2009.

Note of the file “Transportation Capacities LNG Storages and National Productions 29_07_10

In the file have been highlighted **in red** the updates compared to the previous publication of the June 2010, 29th, included in the section “THERMAL YEAR 2009-2010 - TRANSPORTATION CAPACITY”.